

## SONICA<sup>®</sup> 4300i S3

**Product name** **Code**

**SONICA 4300i ETH S3 \*** 090.012.0007

**SONICA 4300i EP S3 \*** 090.012.0008

**Ultrasonic Cleaner 18 Litres  
Special flush-mountable  
model**

**Accessories**

Stainless steel wire basket  
Internal dim. 285x260x85mm 090.004.0008

Stainless steel lid 4200/4300 090.004.0023

Stainless steel auxiliary tank  
SONICA 4300  
Indicative dim. 330x300x200mm 090.004.0046

Stainless steel beaker holder  
for two glass or plastic beaker 090.004.0036

Plastic beaker 250 ml 090.004.0032

Glass beaker 400 ml 090.004.0033

**Further accessories on request**



Flush-mountable version

\* Stainless steel tank made in AISI 304 thickness 08/10 with round tank corners for a better removing of dirt residuals after cleaning process. The tank is conical and realized with a press machine

### General Characteristics

Ultrasonic Cleaning is a safe and efficient modern procedure, which ensures perfect cleaning within the shortest time possible. It has many advantages over ordinary cleaning methods. Ultrasonics can remove even the most tenacious deposits from parts which would be difficult to reach by hand, it also reduces the risk of injury or infection which may occur during manual cleaning.

### Notes for use as "Medical Devices"

**Denomination:** Ultrasonic Cleaning Equipment EMDN: Z12011302

**Field of application:** Ultrasonic Cleaning Equipment for surgical and dental instruments

**Classification** Medical Devices Regulation Class I rule 13, Active MD, Non Invasive MD, Non Implantable MD

**Product MDR compliant Regulation (EU) 2017/745**

### SOLTEC S.r.l.

**Uffici Commerciali e Sede Legale:** Via G. Röntgen 16 - 20136 Milano  
Tel. +39 02 58 308 378 - Fax +39 02 58 308 595 - www.soltec.it - info@soltec.it  
**Produzione e Magazzino:** Via G. Castelbarco, 17 - 20136 Milano - Tel. +39 02 58 324 131

Cod. fisc. e P.IVA: IT11127210158  
N. Mecc.: MI 221750 - C.C.I.A.A. Milano N. 1441548  
Iscr. Trib. Mi Reg. Soc. N. 343391/8444/41  
Cap. Soc. Euro 110.500 i.v. - Iscr. Registro AEE Nr. IT08020000000435



# SONICA<sup>®</sup> 4300i S3

Technical specification subject to change

## Technical Data

Main line voltage	230/240V~50/60Hz
Main input power/consumption	300 W
Main input power with heating	800 W
Peak HF Ultrasound Power	600 W
US frequency	39 kHz ± 1 kHz with SWEEP SYSTEM Technology
Liquid drain	1/2"
Transducers	4 (2 Piezoelectric ceramics each)
Tank capacity [L]	18
Weight [KG]	11,6
Installation category	Class II according to EN 61010-1
Environmental conditions	Temperature Rel. Hum. 80% up to 31°C with linear decrease up to 50% at 40°C
IP grade	IP 22
CE-compliant	EMC (EN 61326-1) LV (EN 61010-1 EN 61010-2-040) 2017/745/UE Medical Device Regulation Risk Class I according to the rule 13 to the MDR

**Overheat switch** : Automatic bimetallic Thermostat operating at 140°C fixed on the heating element

## Approximately Internal Tank Dimensions

W/D/H (mm)	330 / 300 / 200
Max filling volume tank	18 L

## External Appliance Dimensions

W/D/H (mm)	440 / 497 / 595
Max operating tank volume	16,8 L

## Constructive Materials

Housing	Stainless steel AISI 304
Tank	Stainless steel AISI 304

## Control panel available series

M	MH	ETH	EP
NOT AVAILABLE	NOT AVAILABLE		

**ETH serie**: Cleaning times and temperature controlled electronically by a microprocessor.

Ultrasonic cleaning times 5-10-15 minutes.


Double washing times 10-20-30 minutes by pressing twice the minutes key

**Sweep System** generator

**EP serie**: The most technologically advanced of the SONICA range:

**Sweep System** generator; modern digital display control panel window; degas time setting; cleaning times from 0 to 99 minutes; tank liquid temperature setting up to 70°C; memory for 9 cleaning programmes; jet program function to start quickly and easily cleaning cycle.

**Overall dimensions on the work surface  
496,50 x 440,00 mm.**



**Cutting dimensions on the work surface  
dimensions in mm**

